

Protocol for Sample Preparation

1 Order no.: <i>(if available)</i>		2 Date:	
3 Type of fluid:	<input type="checkbox"/> HFB	<input type="checkbox"/> HFC	
	<input type="checkbox"/> HFDR	<input type="checkbox"/> HFDU	
4.1 Applicant:		5.1 Manufacturer and place of manufacture ¹ : <i>(if different to applicant)</i>	
4.2 Applicant's contact details:			
6 Information to uniquely identify the product			
6.1 Trade name / identification:			
6.2 Colour:			
6.3 Density:	$\text{kg/m}^3 \pm$	kg/m^3	
6.4 Viscosity	$\text{mm/s}^2 \pm$	mm/s^2	

This document consists of two pages. Please pay attention to the following page!

7 Declaration of toxicity (including substances / compounds) <i>(All information in mass fractions. Indications as 0%, <1%, <5%, <10%, <15% or> 15%)</i>			
<input type="checkbox"/> Heavy metals: <i>(Lead, cadmium, mercury, ...)</i>	weight-%	<input type="checkbox"/> Halogens: <i>(Flourine, chlorine, bromine, ...)</i>	weight-%
<input type="checkbox"/> Polychlorinated Biphenyls:	weight-%	<input type="checkbox"/> Antimony Trioxide:	weight-%
<input type="checkbox"/> Phenyl Ethers:	weight-%	<input type="checkbox"/> Sulphur:	weight-%
<input type="checkbox"/> Phosphorus:	weight-%	<input type="checkbox"/> CMR substances:	weight-%

We hereby confirm that the information provided in this document is accurate and the selected / custom built test patterns represent the above named product in the later application.

The Technical Data Sheets and / or Safety Data Sheets will be supplied in advance, however with delivering the samples the latest.

8.1 Sampling:

8.2 Department:

8.3 Position: _____ date, signature, stamp

Note:

Please check your details carefully. Only in cases where accurate information is provided, test reports can be issued in time. If information proves to be wrong or missing out during the test, the contractor reserves the right to make the customer liable for the consequences and for example to charge cleaning or repair costs separately.

Please send the completed and signed form via email (dmt-firetest@dmtd.de) or fax (+49 231 5333 299) to DMT GmbH & Co. KG.

9 Annotations: